

Wisdom of Japanese Acupuncture and Moxibustion —Elaboration and Development—

Acupuncture and moxibustion were introduced from China to Japan about 1500 years ago.

Through repeated importation of and modeling after the Chinese techniques, acupuncture and moxibustion underwent refinement and growth in Japan and continued with creativity and progression, thus becoming a medical culture unique to Japan.

In various periods and districts, diagnostic methods and acupuncture types and techniques unique to Japan and tailored to the inner and outer environments for people were developed.

To date, the following diagnostic methods and acupuncture techniques have been developed to enable appropriate management of intractable diseases and to allow acupuncture attain its logical and universal status as a specialty of medicine.

I Utilization of multi-faceted observation and special medical records: Detailed interview,

| 北里会管理記録力み手紙【予約】(検査) | | 月 日 二十四節 風向 天気 月齢 |
|---|---|---|
| <p>【検査項目】</p> <p>【検査内容】</p> <p>【検査結果】</p> <p>【検査所見】</p> <p>【検査経過】</p> <p>【検査コメント】</p> | <p>【検査項目】</p> <p>【検査内容】</p> <p>【検査結果】</p> <p>【検査所見】</p> <p>【検査経過】</p> <p>【検査コメント】</p> | <p>検査の現状及び、しほしほ感の程度は、時々起こる程度に保ちます。</p> <p>検査の結果、しほしほ感の程度は、時々起こる程度に保ちます。</p> <p>検査の結果、しほしほ感の程度は、時々起こる程度に保ちます。</p> <p>検査の結果、しほしほ感の程度は、時々起こる程度に保ちます。</p> |

この力み手紙、女性の月経前後や妊娠前後の記録と併せて、男性の検査(漢方診断)及び検査の結果を把握する上で非常に重要な情報です。決して取っかきしないでください。

正確に正確にお答えください。決まらぬところは「不明」と記入してください。

【性別】 () 男 () 女 【年齢】 () 歳

【性別】 () 男 () 女 【年齢】 () 歳

【性別】 () 男 () 女 【年齢】 () 歳

【性別】 () 男 () 女 【年齢】 () 歳

【性別】 () 男 () 女 【年齢】 () 歳

【性別】 () 男 () 女 【年齢】 () 歳

【性別】 () 男 () 女 【年齢】 () 歳

【性別】 () 男 () 女 【年齢】 () 歳

【性別】 () 男 () 女 【年齢】 () 歳

【性別】 () 男 () 女 【年齢】 () 歳

【性別】 () 男 () 女 【年齢】 () 歳

【性別】 () 男 () 女 【年齢】 () 歳

【性別】 () 男 () 女 【年齢】 () 歳

【性別】 () 男 () 女 【年齢】 () 歳

【性別】 () 男 () 女 【年齢】 () 歳

【性別】 () 男 () 女 【年齢】 () 歳

【性別】 () 男 () 女 【年齢】 () 歳

【性別】 () 男 () 女 【年齢】 () 歳

【性別】 () 男 () 女 【年齢】 () 歳

【性別】 () 男 () 女 【年齢】 () 歳

【性別】 () 男 () 女 【年齢】 () 歳

【性別】 () 男 () 女 【年齢】 () 歳

【性別】 () 男 () 女 【年齢】 () 歳

【性別】 () 男 () 女 【年齢】 () 歳

【性別】 () 男 () 女 【年齢】 () 歳

【性別】 () 男 () 女 【年齢】 () 歳

【性別】 () 男 () 女 【年齢】 () 歳

【性別】 () 男 () 女 【年齢】 () 歳

【検査について】

1) 検査の目的

2) 検査の方法

3) 検査の結果

4) 検査の経過

5) 検査のコメント

6) 検査の経過

7) 検査のコメント

8) 検査の経過

9) 検査のコメント

10) 検査の経過

11) 検査のコメント

12) 検査の経過

13) 検査のコメント

14) 検査の経過

15) 検査のコメント

16) 検査の経過

17) 検査のコメント

18) 検査の経過

19) 検査のコメント

20) 検査の経過

21) 検査のコメント

22) 検査の経過

23) 検査のコメント

24) 検査の経過

25) 検査のコメント

26) 検査の経過




27) 検査のコメント

28) 検査の経過

29) 検査のコメント

30) 検査の経過

tongue diagnosis,
pulse diagnosis of the stomach qi,
and spatial diagnosis, etc.,
which are unique inspection and palpation.



II Determination of cause and mechanism of the disease, distinction of root and tip of the disease and judgment of favorable/unfavorable pattern/syndrome based on Step I.

III Acupuncture techniques applied without disturbing defense qi:

Revival of ancient acupuncture needles (“Kodaishin”) and **needle tapping (“Dashin”)** , **flexural needle insertion**, and so on.



“Kodaishin”



“Dashin”



filiform needles for flexural needle insertion ►

IV Realization of **treatment with a small number of acupoints** through Step II and III (advantageous due to marked enhancement of therapeutic efficacy and reduction of patient burdens).

V Creation of other various theories and acupoint arrangements based on clinical experience.

Among these, studies on steps III and V are expected to further advance.



© General Incorporated Association *Hokushinkai* All Rights Reserved.